SEQUENCE LISTING

<110> Cheo, David Brasch, Michael A. Temple, Gary F. Hartley, James L. Byrd, Devon R.N. Use of Multiple Recombination Sites with Unique Specificity in Recombinational Cloning <130> 0942.5010002 ļ, į ı,[] 4, [<140> To Be Assigned l, ; j M <141> 2000-12-11 ijĴ ina k 11 2 <150> US 60/169,983 100 4 <151> 1999-12-10 p= k na L 12.5

<150> US 60/188,020

<151> 2000-03-09

<160> 140

<170> PatentIn version 3.0

<210> 1

<211> 27

<212> DNA

<213> attB0

<400> 1 agcctgcttt tttatactaa cttgagc

<210> 2

27

	<211>	27		
	<212>	DNA		
	<213>	attP0		
	<400> gttcage	2 cttt tttatactaa (gttggca	27
	<210>	3		
	<211>	27		
	<212>	DNA		
	<213>	attL0		
the state of the s	<400> agcctgo	3 ottt tttatactaa (gttggca	27
	<210>	4		
7 12	<211>	27		
1	<212>	DNA		
	<213>	attR0		
7707				
h wat h of h h made of h		4 cttt tttatactaa (cttgagc	27
	<210>	5		
	<211>	25		
	<212>	DNA		
	<213>	attB1		
	<400> agcctg	5 cttt tttgtacaaa (cttgt	25
	<210>	6		
	<211>	27		
	<212>	DNA		
	<213>	attP1		
	-100:	C		
	<400> gttcag	cttt tttgtacaaa (gttggca	27

	<210>	7	
	<211>	27	
	<212>	DNA	
	<213>	attL1	
	<400> agcctg	7 cttt tttgtacaaa gttggca	27
	<210>	8	
	<211>	25	
	<212>	DNA	
## 1	<213>	attR1	
ii ahan ii dhan amid daa ah gang ii dha	<400> gttcag	8 cttt tttgtacaaa cttgt	25
19 # 12 L	<210>	9	
4	<211>	25	
L	<212>	DNA	
	<213>	attB2	
14 h			
		9 cttt cttgtacaaa gtggt	25
	3		
	<210>	10	
	<211>	27	
	<212>	DNA	
	<213>	attP2	
	<400> gttcage	10 cttt cttgtacaaa gttggca	27
	<210>	11	
	<211>	27	
	<212>	DNA	
	<213>	attL2	

	<400> acccag	11 gettt ettgtacaaa gttggea	27
	<210>	12	
	<211>	25	
	<212>	DNA	
	<213>	attR2	
	<400> gttcag	12 gcttt cttgtacaaa gtggt	25
	<210>	13	
	<211>	22	
1 .5	<212>	DNA	
The state of the s	<213>	attB5	
		13 tatt atacaaagtt gt	22
	<210>	14	
	<211>	27	
las k	<212>	DNA	
17 F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<213>	attP5	
	<400> gttcaa	14 acttt attatacaaa gttggca	27
	<210>	15	
	<211>	24	
	<212>	DNA	
	<213>	attL5	
	<400> caactt	15 ctatt atacaaagtt ggca	24
	<210>	16	
	<211>	25	
	<212>	DNA	

	<213>	attR5	
		16 cttt attatacaaa gttgt	25
	<210>	17	
	<211>	22	
	<212>	DNA	
	<213>	attB11	
Special control contro	<400> caactt	17 ttct atacaaagtt gt	22
	<210>	18	
	<211>	27	
	<212>	DNA	
# 13 SP - United	<213>	attP11	
11. W. Same Pr. 11. M. Same	<400> gttcaa	18 cttt tctatacaaa gttggca	27
	<210>	19	
12.5	<211>	24	
ne d	<212>	DNA	
	<213>	attL11	
	<400> caactt	19 ttct atacaaagtt ggca	24
	<210>	20	
	<211>	25	
	<212>	DNA	
	<213>	attR11	
	<400> gttcaa	20 acttt tctatacaaa gttgt	25

	<211>	22	
	<212>	DNA	
	<213>	attB17	
	<400> caactt	21 ttgt atacaaagtt gt	22
	<210>	22	
	<211>	27	
	<212>	DNA	
	<213>	attP17	
The court factor and the court factor factor for the court factor	<400> gttcaa	22 cttt tgtatacaaa gttggca	27
	<210>	23	
11.17	<211>	24	
# # # # # # # # # # # # # # # # # # #	<212>	DNA	
	<213>	attL17	
	<400> caactt	23 ttgt atacaaagtt ggca	24
23.5	<210>	24	
	<211>	25	
	<212>	DNA	
	<213>	attR17	
	<400> gttcaa	24 cttt tgtatacaaa gttgt	25
	<210>	25	
	<211>	22	
	<212>	DNA	
	<213>	attB19	
	<400> caactt	25 httc gtacaaagtt gt	22

```
<210> 26
        <211> 27
        <212> DNA
        <213> attP19
        <400> 26
                                                                                27
        gttcaacttt ttcgtacaaa gttggca
        <210> 27
        <211> 24
        <212> DNA
        <213> attL19
<400> 27
1,13
                                                                                24
        caacttttc gtacaaagtt ggca
114
ijį
| = s k
        <210> 28
<211> 25
11
las k
        <212> DNA
111
        <213> attR19
1 = 1
| k = }
        <400> 28
                                                                                25
        gttcaacttt ttcgtacaaa gttgt
        <210> 29
        <211> 22
        <212> DNA
        <213> attB20
        <400> 29
                                                                                22
        caactttttg gtacaaagtt gt
        <210> 30
        <211> 27
        <212> DNA
        <213> attP20
```

	<400> 30 gttcaacttt tte	ggtacaaa gt	tggca		27
	<210> 31				
	<211> 24				
	<212> DNA				
	<213> attL20				
The Channer of the Ch	<400> 31 caactttttg gt	acaaagtt gg	ca		24
	<210> 32				
	<211> 25				
	<212> DNA				
	<213> attR20				
	<400> 32 gttcaacttt tt <210> 33 <211> 22 <212> DNA	ggtacaaa gt	tgt		25
ira k Kada	<213> attB21				
	<400> 33 caacttttta at				22
	<210> 34				
	<211> 27				
	<212> DNA				
	<213> attP21				
	<400> 34 gttcaacttt tt	aatacaaa gt	tggca		27
	<210> 35				
	<211> 24				
	<212> DNA				

<213> attL21 <400> 35 24 caacttttta atacaaagtt ggca <210> 36 <211> 25 <212> DNA <213> attR21 <400> 36 25 gttcaacttt ttaatacaaa gttgt <210> 37 41 ١, [<211> 15 1,13 <212> DNA in the state of į į į <213> 15 bp Core Region no is :: = = <400> 37 1 . 1 15 gcttttttat actaa PI. ar h <210> 38 | | | | | <211> 21 <212> DNA <213> Reference Sequence <400> 38 21 caacttttt atacaaagtt g <210> 39 <211> 21 <212> DNA <213> att system core integrase binding site

<221> misc_feature

<222> (8)..()

<220>

```
<223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (9)..()
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (10)..()
        <223> n is any nucleotide
<220>
إإإ
        <221> misc_feature
PŲ.
ı,[j
        <222> (11)..()
na k
        <223> n is any nucleotide
10 F S
15
je a L
141
        <220>
|
|-- b
        <221> misc_feature
25 5
        <222> (12)..()
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (13)..()
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (14)..()
        <223> n is any nucleotide
```

<400> 39 caactttnnn nnnnaaagtt g

```
<210> 40
        <211> 17
        <212> DNA
        <213> attB altered site
        <220>
        <221> misc_feature
        <222> (8)..()
        <223> n is any nucleotide
        <220>
[", ]
ų!į
        <221> misc_feature
4, ]
        <222> (9)..()
ļ,ij
H
        <223> n is any nucleotide
....
4: 7
11.
        <220>
:2
924
        <221> misc_feature
N
        <222> (10)..()
pe is
as h
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (11)..()
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (12)..()
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (13)..()
```

```
<223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (14)..()
        <223> n is any nucleotide
        <400> 40
                                                                                 17
        caactttnnn nnnnaaa
        <210> 41
        <211> 48
ļ., j
        <212> DNA
ı,İj
17. [
        <213> attL1 PCR Primer
1,1
M
4]
        <400> 41
                                                                                 48
        ggggagcctg cttttttgta caaagttggc attataaaaa agcattgc
ne k
## =
        <210> 42
las b
1111
        <211> 48
]== h
        <212> DNA
les h
[ ] j
        <213> attL2 PCR Primer
         <400> 42
                                                                                 48
         ggggagcctg ctttcttgta caaagttggc attataaaaa agcattgc
        <210> 43
         <211> 22
         <212> DNA
         <213> attL right PCR Primer
         <400> 43
                                                                                  22
         tgttgccggg aagctagagt aa
         <210> 44
         <211> 43
         <212> DNA
```

<213> attR1 PCR Primer

	<400> ggggad	44 caagt ttgtacaaaa aagctgaacg agaaacgtaa aat	43
	<210>	45	
	<211>	43	
	<212>	DNA	
	<213>	attR2 PCR Primer	
	<400> ggggad	45 caagt ttgtacaaga aagctgaacg agaaacgtaa aat	43
18= 4 1 ₁₈ 3 . 9 4	<210>	46	
141 J 14 ₁ j	<211>	22	
Part of the Control o	<212>	DNA	
	<213>	attR right PCR Primer	
	<400> cagaco	46 ggcat gatgaacctg aa	22
ļus k ļus k	<210>	47	
144 6	<211>	29	
100	<212>	DNA	
	<213>	attB1 / B1-Hgb	
	<400> ggggad	47 caagt ttgtacaaaa aagcaggct	29
	<210>	48	
	<211>	29	
	<212>	DNA	
	<213>	attB2 / B2-Hgb	
	<400> ggggad	48 ccact ttgtacaaga aagctgggt	29
	<210>	49	

	<211>	18							
	<212>	DNA							
	<213>	18B1-Hgb							
	<400>	49 aaaa agcaggct	18						
	<210>	50							
	<211>	18							
	<212>	DNA							
	<213>	18B2-Hgb							
The course of th	<400>	50 agaa agctgggt	18						
7 g	050000								
	<210>	51							
	<211>	15							
: 0 22 23 24 27 27	<212>	DNA							
	<213>	15B1-Hgb							
14)									
os h as h		51 aagc aggct	15						
80 A 80 A 80 A 80 A 80 A 80 A 80 A 80 A									
les #	<210>	52							
	<211>	15							
	<212>	DNA							
	<213>	15B2-Hgb							
	<400>	52 aagc tgggt	15						
	<210>	53							
	<211>	12							
	<212>	DNA							
	<213>	12B1-Hgb							
	<400>	53 cagg ct	12						
	addadg								

	<210>	54
	<211>	12
	<212>	DNA
	<213>	12B2-Hgb
	<400> agaaag	54 getgg gt
	<210>	55
	<211>	11
	<212>	DNA
!** §	<213>	11B1-Hgb
W.		
The state of the s	<400> aaaagc	55 aggc t
k]] rak	<210>	56
u i z H	<211>	11
 a= b a= c	<212>	DNA
Variable Spart (1977) (Spart 1977)	<213>	11B2-Hgb
lisk Lil		
1.7	<400> gaaagc	56 tggg t
	<210>	57
	<211>	10
	<212>	DNA
	<213>	10B1-Hgb
	-400>	F 7
	<400> aaagca	
	<210>	58
	<211>	10
	<212>	DNA
	<213>	10B2-Hgb

	<400> aaagct	58 gggt	10
	<210>	59	
	<211>	22	
	<212>	DNA	
	<213>	5'-Hgb	
		59 agcc tgtggagcaa ga	22
	<210>	60	
The state of the s	<211> <212>	22	
		DNA 3'-Hgb	
	\Z1J/	5 -11gb	
	<400> aggatg	60 gcag agggagacga ca	22
H.	<210>	61	
	<211>	48	
	<212>	DNA	
With Table 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<213>	PCR Primer attL0	
100 B	<400> ggggag	61 cctg cttttttata ctaagttggc attataaaaa agcattgc	48
	<210>	62	
	<211>	48	
	<212>	DNA	
	<213>	PCR Primer attLT1A	
	<400> ggggag	62 cctg ctttattata ctaagttggc attataaaaa agcattgc	48
	<210>	63	
	<211>	48	
	<212>	DNA	

<213> PCR Primer attLT1C <400> 63 ggggagcctg ctttcttata ctaagttggc attataaaaa agcattgc 48 <210> 64 <211> 48 <212> DNA <213> PCR Primer attLT1G <400> 64 ggggagcctg ctttgttata ctaagttggc attataaaaa agcattgc 48 <210> 65 <211> 48 '4₅ % 1,13 <212> DNA H 43 <213> PCR Primer attLT2A sa k <400> 65 | e + is ggggagcctg cttttatata ctaagttggc attataaaaa agcattgc 48 իս հ <210> 66 ns k r.i <211> 48 <212> DNA <213> PCR Primer attLT2C <400> 66 48 ggggagcctg cttttctata ctaagttggc attataaaaa agcattgc <210> 67 <211> 48 <212> DNA <213> PCR Primer attLT2G <400> 67 ggggagcctg cttttgtata ctaagttggc attataaaaa agcattgc 48

	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attLT3A	
	<400> ggggago		ctttttaata ctaagttggc attataaaaa agcattgc	48
	<210>	69		
	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attLT3C	
## 4 ## 5 # 5		69		48
in the stand than the stand the stand the stand that the stand that the stand the stan	ggggagc	cctg	ctttttcata ctaagttggc attataaaaa agcattgc	40
	<210>	70		
	<211>	48		
	<212>	DNA		
ill r= fr	<213>	PCR	Primer attLT3G	
n. L	<400>	70		4.0
	ggggagc	eetg	ctttttgata ctaagttggc attataaaaa agcattgc	48
	<210>	71		
	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attLA4C	
	<400>			48
	ggggagt	cetg	cttttttcta ctaagttggc attataaaaa agcattgc	40
	<210>	72		
	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attLA4G	
	<400>		attituted a standard attaches assetted	48
	ggggag	Letg	cttttttgta ctaagttggc attataaaaa agcattgc	40

	<210>	73		
	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attLA4T	
		73 cctg	ctttttttta ctaagttggc attataaaaa agcattgc	48
	<210>	74		
	<211>	48		
	<212>	DNA		
1.1	<213>	PCR	Primer attLT5A	
7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
Committee from the committee of the comm		74		4.0
	ggggag	cctg	cttttttaaa ctaagttggc attataaaaa agcattgc	48
	<210>	75		
	<211>	48		
	<212>	DNA		
1000 1000 1000 1000 1000 1000 1000 100	<213>	PCR	Primer attLT5C	
142 H				
18	<400>	75		4.0
	ggggag	eetg	cttttttaca ctaagttggc attataaaaa agcattgc	48
	<210>	76		
	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attLT5G	
	<400>			
	ggggag	cctg	cttttttaga ctaagttggc attataaaaa agcattgc	48
	<210>	77		
	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attLA6C	

		77 cctg	cttttttatc c	taagttggc	attataaaaa	agcattgc	48
	<210>	78					
	<211>	48					
	<212>	DNA					
	<213>	PCR	Primer attLA	.6G			
		78 cctg	cttttttatg c	taagttggc	attataaaaa	agcattgc	48
	<210>	79					
	<211>	48					
	<212>	DNA					
There is a second state of the second state of	<213>	PCR	Primer attLA	.6T			
The second secon	<400> ggggag	79 cctg 80	cttttttatt c	taagttggc	attataaaaa	agcattgc	48
	<211>	48					
44 h	<212>	DNA					
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	<213>	PCR	Primer attLC	7A			
	<400> ggggag	80 cctg	cttttttata a	taagttggc	attataaaaa	agcattgc	48
	<210>	81					
	<211>	48					
	<212>	DNA					
	<213>	PCR	Primer attLC	7G			
	<400> ggggag		ctttttata g	taagttggc	attataaaaa	agcattgc	48
	<210>						
	<211>						
	<212>	DNA					

<213> PCR Primer attLC7T

	<400> ggggago	82 cctg	cttttttata ttaagttggc attataaaaa agcattgc	48
	<210>	83		
	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attL8	
	<400> ggggago	83 ccta	cttttttata ctaagttggc attataaaaa agcattgc	48
4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	<210>	84		
	<211>	48		
Amil and Then Triple	<212>	DNA		
	<213>	PCR	Primer attL9	
Hole Branch Bran	<400> ggggago	84 cctg	cctttttata ctaagttggc attataaaaa agcattgc	48
oa k lez h	<210>	85		
197 %	<211>	48		
14.7	<212>	DNA		
	<213>	PCR	Primer attL10	
	<400> ggggage	85 cctg	cttctttata ctaagttggc attataaaaa agcattgc	48
	<210>	86		
	<211>	48		
	<212>	DNA		
	<213>	PCR	Primer attL14	
	<400> ggggage		cttttttata ccaagttggc attataaaaa agcattgc	48
	<210>	87		

	<211>	48	
	<212>	DNA	
	<213>	PCR Primer attL15	
		87 cctg cttttttata ctaggttggc attataaaaa agcattgc	48
	<210>	88	
	<211>	30	
	<212>	DNA	
	<213>	attL0	
The state of the s	<400> agcctg	88 cttt tttatactaa gttggcatta	30
2	<210>	89	
	<211>	30	
şpa is sa saş m	<212>	DNA	
ii Įreiz	<213>	attL5	
Variation 100 - 10	<400>	89	2.0
	ageetg	cttt attatactaa gttggcatta	30
in the second se	<210>	90	
	<211>	30	
	<212>	DNA	
	<213>	attL6	
	<400>	90 cttt tttatattaa gttggcatta	30
	<210>	91	
	<211>	30	
	<212>	DNA	
	<213>	attL13	
	<400> agcctg	91 cttt tttatgctaa gttggcatta	30

30

30

```
<210> 92
        <211> 30
        <212> DNA
        <213> attL14
        <400> 92
        agcctgcttt tttataccaa gttggcatta
        <210> 93
        <211> 30
        <212> DNA
        <213> attL15
47
4, ]
        <400> 93
1,3 3
        agcctgcttt tttatactag gttggcatta
ųį)
        <210> 94
** =
14 H
        <211> 21
13.
25 3
        <212> DNA
<213> Consensus Sequence
:= b
10 h
        <220>
        <221> misc_feature
        <222> (7)..()
         <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (8)..()
        <223> n is any nucleotide
         <220>
         <221> misc_feature
         <222> (10)..()
```

<223> n is any nucleotide

```
<220>
         <221> misc_feature
         <222> (11)..()
         <223> n is any nucleotide
         <220>
         <221> misc_feature
         <222> (12)..()
         <223> n is any nucleotide
Maria Santa
         <220>
         <221> misc_feature
4.3
<222> (14)..()
Ų.
         <223> n is any nucleotide
ļ. l.
11 2 2
i#
         <220>
| n = 1;
         <221> misc_feature
Fig
is a is
         <222> (15)..()
as b
7777
         <223> n is any nucleotide
         <400> 94
                                                                                  21
         caacttnntn nnannaagtt g
         <210> 95
         <211> 25
         <212> DNA
         <213> attB0
         <400> 95
         tcaagttagt ataaaaaagc aggct
                                                                                  25
         <210> 96
         <211> 29
         <212> DNA
```

<213> attB2.1 <400> 96 ggggaacact ttgtacaaga aagctgggt 29 <210> 97 <211> 29 <212> DNA <213> attB2.2 <400> 97 ggggacaact ttgtacaaga aagctgggt 29 122 <210> 98 113 <211> 29 ١, إ 1,11 <212> DNA 1 4 <213> attB2.3 as h 12 2 15 <400> 98 4:5 ggggacccct ttgtacaaga aagctgggt 29 au h <210> 99 in a la <211> 29 <212> DNA <213> attB2.4 <400> 99 ggggaccaat ttgtacaaga aagctgggt 29 <210> 100 <211> 29 <212> DNA <213> attB2.5 <400> 100 ggggaccacg ttgtacaaga aagctgggt 29

	<211>	29	
	<212>	DNA	
	<213>	attB2.6	
	<400> ggggaco	101 cact gtgtacaaga aagctgggt	29
	<210>	102	
	<211>	29	
	<212>	DNA	
	<213>	attB2.7	
The state of the s	<400> ggggaco	102 cact tggtacaaga aagctgggt	29
	<210>	103	
	<211>	29	
jes k 11 ju	<212>	DNA	
ina L	<213>	attB2.8	
The state of the s	<400> ggggaco	103 cact ttttacaaga aagctgggt	29
ine i	<210>	104	
	<211>	29	
	<212>	DNA	
	<213>	attB1.6	
	<400> ggggaca	104 aact ttgtacaaaa aagttggct	29
	<210>	105	
	<211>	29	
	<212>	DNA	
	<213>	attB2.10	
	<400> ggggac	105 aact ttgtacaaga aagttgggt	29

```
<210> 106
```

<211> 29

<212> DNA

<213> attbln16-20

<220>

<221> misc_feature

<222> (20)..()

<223> n is any nucleotide

<220>

<221> misc_feature

<222> (21)..()

<223> n is any nucleotide

<220>

<221> misc_feature

<222> (22)..()

<223> n is any nucleotide

<220>

<221> misc_feature

<222> (23)..()

<223> n is any nucleotide

<220>

<221> misc_feature

<222> (24)..()

<223> n is any nucleotide

<400> 106

ggggacaagt ttgtacaaan nnnnaggct

```
<211> 29
         <212> DNA
         <213> attb1n21-25
        <220>
        <221> misc_feature
         <222> (25)..()
         <223> n is any nucleotide
        <220>
        <221> misc_feature
1,, 3
        <222> (26)..()
43
        <223> n is any nucleotide
it sign
i, j
H
uli
        <220>
les la
        <221> misc_feature
10 2
ij
        <222> (27)..()
les L
M
        <223> n is any nucleotide
ins h
n= k
<220>
         <221> misc_feature
         <222> (28)..()
         <223> n is any nucleotide
         <220>
         <221> misc_feature
         <222> (29)..()
         <223> n is any nucleotide
         <400> 107
         ggggacaagt ttgtacaaaa aagcnnnnn
         <210> 108
```

<211> 29

29

```
<212> DNA
        <213> attb2n16-20
        <220>
        <221> misc_feature
        <222> (20)..()
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (21)..()
Tank truth
        <223> n is any nucleotide
٠
ا
1,1,3
        <220>
1
ųį į
        <221> misc_feature
las E
        <222> (22)..()
:=|==
18
        <223> n is any nucleotide
| e = }
ļes h
        <220>
jes p
        <221> misc_feature
[]
         <222> (23)..()
         <223> n is any nucleotide
         <220>
         <221> misc_feature
         <222> (24)..()
         <223> n is any nucleotide
         <400> 108
         ggggaccact ttgtacaagn nnnntgggt
         <210> 109
         <211> 29
```

<212> DNA

29

```
<213> attb2n21-25
        <220>
        <221> misc_feature
        <222> (25)..()
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (26)..()
        <223> n is any nucleotide
[,]
1113
        <220>
i, i j
        <221> misc_feature
ųĮį.
        <222> (27)..()
| # 2 k
        <223> n is any nucleotide
12 | 5
18
las is
i i
        <220>
pa b
        <221> misc_feature
las is
        <222> (28)..()
        <223> n is any nucleotide
        <220>
        <221> misc_feature
        <222> (29)..()
         <223> n is any nucleotide
         <400> 109
                                                                                 29
         ggggaccact ttgtacaaga aagcnnnnn
        <210> 110
        <211> 28
         <212> DNA
         <213> attb1 (5'-end of fragment a)
```

```
<220>
         <221> misc_feature
         <222> (27)..()
         <223> n is any nucleotide
         <220>
         <221> misc_feature
         <222> (28)..()
         <223> n is any nucleotide
         <400> 110
1000
                                                                                   28
         ggggacaact ttgtacaaaa aagttgnn
1,1,5
١٠, ١
         <210> 111
n H
<211> 26
ų,
         <212> DNA
as b
48 <del>|</del> 18
         <213> attb5 (3'-end of fragment a)
16
lus k
<400> 111
14 8
                                                                                   26
         ggggacaact ttgtataata aagttg
ļ. . ķ
[23]
         <210> 112
         <211> 26
         <212> DNA
         <213> attb5r (5'-end of fragment b)
         <400> 112
         ggggacaact ttattataca aagttg
                                                                                   26
         <210> 113
         <211> 26
         <212> DNA
         <213> attb2 (3'-end of fragment b)
         <220>
         <221> misc_feature
```

```
<222> (26)..()
         <223> n is any nucleotide
         <400> 113
                                                                                  26
         gggacaactt tgtataataa agttgn
         <210> 114
         <211> 28
         <212> DNA
         <213> attb1 (5'-end of fragment a)
         <220>
1,13
         <221> misc_feature
ij
         <222> (27)..()
١, إ
L.J.
        <223> n is any nucleotide
ų.
a= 1
        <220>
....
        <221> misc_feature
H
las k
         <222> (28)..()
T.
ļ., <u>L</u>
         <223> n is any nucleotide
ler k
1.1
         <400> 114
                                                                                  28
         ggggacaact ttgtacaaaa aagttgnn
         <210> 115
         <211> 25
         <212> DNA
         <213> attb21R (3'-end of fragment b)
         <400> 115
         gggacaactt tttaatacaa agttg
                                                                                  25
         <210> 116
         <211> 26
         <212> DNA
         <213> attb21 (5'-end of fragment c)
```

```
<400> 116
                                                                    26
ggggacaact ttgtattaaa aagttg
<210> 117
<211> 27
<212> DNA
<213> attb2 (3'-end of fragment c)
<220>
<221> misc_feature
<222> (27)..()
<223> n is any nucleotide
<400> 117
                                                                    27
ggggacaact ttgtataata aagttgn
<210> 118
<211> 16
<212> DNA
<213> optimal Shine-Delgarno and Kozak sequence
<400> 118
                                                                    16
ggaggtatat accatg
<210> 119
<211> 39
<212> DNA
<213> SD 5' luxA
<400> 119
                                                                    39
ggaggtatat accatgaagt ttggaaatat ttgttttc
<210> 120
<211>
      49
<212> DNA
<213> T7 3' luxA
```

	<400> 120 gaagctatag tgagtcgtat tatttaggtt cttttaagaa aggagcgac	49
	<210> 121	
	<211> 40	
	<212> DNA	
	<213> SD 5' luxB	
	<400> 121 ggaggtatat accatgaaat ttggattatt ttttctaaac	40
	<210> 122	
	<211> 47	
R# 44 - 2 4	<212> DNA	
Annual State of State	<213> T7 3' luxB	
The state of the s	<400> 122 gaagctatag tgagtcgtat tatggtaaat tcatttcgat tttttgg	47
	<210> 123	
ľ¶J	<211> 45	
r= k	<212> DNA	
A STATE OF THE STA	<213> SD 5' luxC	
	<400> 123 ggaggtatat accatgaata aatgtattcc aatgataatt aatgg	45
	<210> 124	
	<211> 50	
	<212> DNA	
	<213> T7 3' luxC	
	<400> 124 gaagctatag tgagtcgtat tatgggacaa aaactaaaaa cttatcttcc	50
	<210> 125	
	<211> 44	
	<212> DNA	

<213> SD 5' luxD

	<400> ggaggt	125 atat accatgaaag atgaaagtgc tttttttacg attg	44
	<210>	126	
	<211>	46	
	<212>	DNA	
	<213>	T7 3' luxD	
	<400> gaagct	126 atag tgagtcgtat taagccaatt ctaataattc attttc	46
	<210>	127	
	<211>	44	
	<212>	DNA	
	<213>	SD 5' luxE	
The street stree	<400> ggaggt	127 atat accatgactg tccatactga atataaaaga aatc	44
las k las k	<210>	128	
12.5	<211>	53	
第章 第章 第	<212>	DNA	
	<213>	T7 3' luxE	
	<400> gaagct	128 atag tgagtcgtat taaatccttg atattctttt gtatgacatt agc	53
	<210>	129	
	<211>	44	
	<212>	DNA	
	<213>	B1.6 SD	
	<400> ggggad	129 caact ttgtacaaaa aagttgaagg aggtatatac catg	44
	<210>	130	

	<211>	44					
	<212>	DNA					
	<213>	в5 т	7				
	<400> ggggaca		ttgtataata	aagttggaag	ctatagtgag	tcgt	44
	<210>	131					
	<211>	44					
	<212>	DNA					
	<213>	B5R	SD				
H. H. T. Tank want than the thirt that	<400> ggggaca	131 aact	ttattataca	aagttgaagg	aggtatatac	catg	44
100 Mary 1100 Ma	<210>	132					
111	<211>	44					
(45 b) 44 4 44 5	<212>	DNA					
	<213>	В11	т 7				
er b	<400> ggggaca	132 aact	ttgtatagaa	aagttggaag	ctatagtgag	togt	44
11. 2	<210>	133					
	<211>	44					
	<212>	DNA					
	<213>	B11R	SD				
	<400>		tttctataca	aagttgaagg	aggtatatac	catg	44
	<210>	134					
	<211>	44					
	<212>	DNA					
	<213>	в17	т7				
	<400> ggggac		ttgtatacaa	aagttggaag	ctatagtgag	tcgt	44

44
44
44
44
44
44
0.4
44
44
##
44

```
<220>
         <221> misc_feature
         <222> (13)..()
         <223> n is any nucleotide
         <220>
         <221> misc_feature
         <222> (14)..()
         <223> n is any nucleotide
         <400> 139
                                                                                   14
         aaaaagcagg ctnn
<210> 140
١, ١
l iii.
         <211> 13
in the
L. Francisco
         <212> DNA
as à
         <213> 12 attB2 ReverseTemplate-Specific Primer
114
12
les h
rij.
         <220>
...
         <221> misc_feature
<222> (13)..()
         <223> n is any nucleotide
         <400> 140
                                                                                   13
         agaaagctgg gtn
```